EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S35	1	10/563409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S36	2349	updat$3 near10 memory near10 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S37	1230	updat$3 near5 memory near5 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S38	3	updat$3 near5 memory near5 position same updat $3 near5 (division partial $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S39	24	updat$3 near5 memory near5 position same (division partial$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S40	16	project$3 near5 dimension $3 same distance near5 record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S41	992	project$3 near5 dimension $3 near5 (smaller lesser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31

S42	12	project$3 near5 dimension $3 near5 (smaller lesser) same coordinat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S43	8	semeion.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S44	16	(BUSCEMA near paolo).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S45	2	S44 and project$3 same dimension	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S46	1633	(convert$3 conversion project$3) same (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) same coordinat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S47	591	(convert$3 conversion project$3) near10 coordinat $3 same (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S48	427	(convert$3 conversion project$3) near10 coordinat $3 same (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31

S49	63	(convert$3 conversion project$3) near10 coordinat $3 same (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) same distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S50	64	(convert$3 conversion project$3) near10 coordinat $3 same (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) and (shortest minimal minimiz$3) near10 distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S51	21	(convert$3 conversion project$3) near10 coordinat $3 same (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) and (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S52	2	(convert$3 conversion project$3) near10 (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) same (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S53	9	(convert$3 conversion project$3) near10 (3-dimension$3 3-d 3d) same (2-dimension$3 2-d 2d) and (distance near5 matrix) same coordinat$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S54	8127	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31

S55	16	project$3 near5 dimension and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S56	47	(convert$3 conversion project$3) same (3-dimension$3 3-d 3d) adj (2-dimension$3 2-d 2d) same coordinat$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S57	58	(map$4 project$3) same (3-dimension$3 3-d 3d) adj (2-dimension$3 2-d 2d) same coordinat$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S59	50	(map$4 project$3) same (3-dimension$3 3-d 3d) adj (2-dimension$3 2-d 2d) same coordinat$3 and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:31
S60	291	(self adj organiz$5) and (distance matrix) and (dimension$5 near5 reduc$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:42
S61	164	(self adj organiz$5) and (distance matrix) and (dimension$5 near5 reduc$4) and coordinat$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:44
S62	37	(cube olap) and (self adj organiz$5) and (distance matrix) and (dimension$5 near5 reduc$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:46

S63	45	((data adj cube) olap) same ((three "3") near5 dimension$5) same ((two "2") near5 dimension$5) same (project$3 map$4 convert$3 conversion reduc $4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:49
S64	3	gend near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 09:18
S65	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 09:19
S66	5	(dimension$5 near5 reduc $4) same geographic$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 16:24
S67	40	(project$3 map$4 convert $3 conversion) same (three adj dimension$5) same (two adj dimension$5) same geographic$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 16:27
S68	9	(project$3 convert$3 conversion) same (three adj dimension$5) same (two adj dimension$5) same geographic$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:00

S69	93	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) and geographic$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:05
S70	9	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) and geographic$2 near5 (location site database (data adj base)) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:05
S71	114	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) and (molecule atom particle) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:30
S73	8	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) same (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:32
S74	80	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:32

S75	16	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) same coordinate and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:33
S76	64	S74 not S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 10:35
S77	62	(project$3 convert$3 conversion translat$3) with (three adj dimension$5) with (two adj dimension$5) same (molecule atom) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 11:04
S78	54	S77 not S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 11:05
S81	5	(project$3 convert$3 conversion translat$3) near5 molecule same (three adj dimension$5) same (two adj dimension $5) and distance same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 11:26
S82	8	(project$3 convert$3 conversion translat$3) near5 molecule same dimension$5 and neural near5 network and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 11:34

S83	18	alzheimer and pathological near5 status and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:15
S87	17	dimension$5 same (map$4 project$3 convert$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:18
S88	9	dimension$5 with (map$4 project$3 convert$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:18
S89	8	S87 not S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:19
S91	9	dimension$5 same (map$4 project$3 convert$3 conversion) and probability same alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:25
S92	569	dimension$5 with (map$4 project$3 convert$3 conversion) and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:26
S93	265	dimension$5 with (map$4 project$3 convert$3 conversion) same (three adj dimension$5) and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:27

S94	63	dimension$5 with (map$4 project$3 convert$3 conversion) same (three adj dimension$5) same two adj dimension$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:27
S98	39	dimension$5 with (map$4 project$3 convert$3 conversion) same (three adj dimension$5) same two adj dimension$5 and alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:28
S100	5	dimension$5 with (project $3) same (three adj dimension$5) same two adj dimension$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 16:33

11/6/2008 4:50:25 PM
C:\Documents and Settings\shoang\My Documents\EAST\Workspaces
\son_10_563_409_case.wsp